



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/716,100	11/18/2003	John L. Neumeyer	04843/118003	6112
21559	7590	07/13/2007		
CLARK & ELBING LLP 101 FEDERAL STREET BOSTON, MA 02110			EXAMINER DESAI, RITA J	
			ART UNIT 1625	PAPER NUMBER
			MAIL DATE 07/13/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10716100	11/18/2003	NEUMEYER ET AL.	04843/118003

CLARK & ELBING LLP
101 FEDERAL STREET
BOSTON, MA 02110

EXAMINER

Rita J.. Desai

ART UNIT	PAPER
1625	20070709

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Claim 16 has been corrected to change the dependency.

RDesai
7/9/07

Rita J. Desai
Primary Examiner
Art Unit: 1625

Art Unit: 1625

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Ellison on 7/9/07.

The application has been amended as follows:

In claim 16 after 8,

Delete " 10,"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rita J. Desai whose telephone number is 571-272-0684. The examiner can normally be reached on Monday - Friday, flex time..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Janet Andres can be reached on 571-272-0867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Rita J. Desai
Primary Examiner
Art Unit 1625

R.D.
July 9, 2007

R. Desai
7/9/07